



KS B1541 / KS B1543, JIS B2312 / JIS B2313

Nominal Pipe Size	Outside Diameter OD	Wall Thickness T			Cap			Long	
		Sch 5s	Sch 10s	Sch 20s	E	E1	Limited Wall Thickness For E	P	M
15	21.7	1.65	2.1	2.5	25.4			76.2	4
20	27.2	1.65	2.1	2.5	25.4			76.2	5
25	34.0	1.65	2.8	3.0	38.1			76.2	5
32	42.7	1.65	2.8	3.0	38.1			95.2	6
40	48.6	1.65	2.8	3.0	38.1			114.4	8
50	60.5	1.65	2.8	3.5	38.1	44.5	5.5	152.4	16
65	76.3	2.10	3.0	3.5	38.1	50.8	7.0	190.6	13
80	89.1	2.10	3.0	4.0	50.8	63.5	7.6	228.6	15
90	101.6	2.10	3.0	4.0	63.5	76.2	8.1	266.8	18
100	114.3	2.10	3.0	4.0	63.5	76.2	8.6	304.8	20
125	139.8	2.80	3.4	5.0	76.2	88.9	9.5	273.0	26
150	165.2	2.80	3.4	5.0	88.9	101.6	11.0	457.2	31

1 | 2